

# ADDENDUM NO: 2

TO: ALL PLANHOLDERS

FROM: PARKHILL, SMITH & COOPER, INC.

PROJECT NAME: Bid #13-062, El Paso County Colonia Revolucion Water System Improvement Pipeline Project

PROJECT NO.: 01.5005.11

DATE: October 29, 2013

Attention of all Prospective Bidders/Plan Holders is directed to the following modifications to the referenced Project Manual Specifications and Drawings. This Addendum forms a part of, and shall be attached to the Project Manual Specifications, and modifies the original Project Manual Specifications dated September 20, 2013 noted below:

This Addendum consists of 1 page(s)

I. The Bid Date to receive sealed bids has been changed to November 6, 2013 at 2:00 p.m.

II. CHANGES TO DIVISION 2— SITE WORK

Section 02600— SCHEDULE OF PIPE – Add the following under Part 2.1 Water, Size and Use: 20-inch Steel Casing, Type and Class: Welded Steel Pipe, ASTM A-139,  $t_{min}=0.375"$ .

END OF ADDENDUM NO. 2



Respectfully submitted,

PARKHILL, SMITH & COOPER, INC.

By: Humberto Juarez

**Receipt of this addendum shall be acknowledged by the Bidder, below and on the bid Proposal. This entire addendum, or a copy thereof, shall be attached to the bid Proposal submitted.**

ACKNOWLEDGED:

\_\_\_\_\_

By: \_\_\_\_\_